OEM / ODM OFFICE HARDWARE

Remote for slides that keeps you in control.

Wireless presenters for classrooms, boardrooms and training rooms — with the range, controls and receiver that fit your setup. Need your own brand? We also build 22–30″ all-in-one PCs, from 10 units.



Prime Studio all-in-one PC — textured back and pop-up camera, up to 4K.

4
Presentation remote models

8 series · 15 models
All-in-one PCs, 22–30″

3–5 days
Typical sample lead time

~1 week
Production after spec confirmed

Wireless presentation remotes

Four models — K400, K500, K801 and RF039 — covering classic, volume-control, ergonomic and dual-USB setups. Every model is plug-and-play with a red laser pointer.

All-in-one PCs

Eight series from 22″ to 30″, 1K to 4K, built in our own factory and branded as yours — your logo, your packaging, your boot logo.

Designed and built in Shenzhen. Shipped worldwide. · www.gnker.com · sales@gnker.com

ABOUT US

About RIELTECH

RIELTECH is an innovation-driven manufacturer and supplier of workplace electronics, integrating consumer electronics design, research and development, manufacturing, and sales, with a broader focus on workplace products and business solutions.

Today the GNKER range covers two product lines: wireless presentation remotes and all-in-one PCs. Both are designed and manufactured for business buyers, and both are available wholesale and as OEM/ODM with your brand.

32
Production machines

30
Packaging machines

≈100,000 sets
Daily production capacity

2014
Riel Technology registered in Hong Kong

From product development to finished goods

We have established a complete product development and manufacturing workflow, supported by a professional international quality management system. Our dedicated team of engineers brings product ideas through design and development and into production.

GNKER is a brand registered in the United Arab Emirates by Riel Technology Co., Limited. Our products serve customers through e-commerce platforms, supermarkets, trading companies, distributors and wholesale buyers, and overseas end customers. We stay attentive to changing market needs and work to deliver practical solutions for different markets and business requirements.

Inside our factory

A look inside our manufacturing and assembly operations — from machining and assembly to packaging and shipment.



CNC machining equipment



Product assembly



Packaging preparation



Ready for shipment

Our approach is practical in action, driven to improve, and growing together. We work with customers through each stage to align on product requirements, pricing, production, and delivery — and we look forward to creating value and growing together with our customers and partners.

THE COLLECTION

Presentation remotes. Four ways to present.

Start with the controls you need. All four models are offered wholesale and as OEM/ODM under your brand. Each one is plug-and-play — plug in the USB receiver and start presenting, with no software or drivers to install.



01 · K400 — Essential

Compact wireless presenter with slide controls, a red laser pointer, and a receiver stored inside the body.

12 m control · 100 m laser



02 · K500 — Volume control

2.4 GHz presenter with slide navigation, volume control, hyperlink control, a red laser pointer and scroll controls.

2.4 GHz · 5 colors



03 · K801 — Ergonomic

Ergonomic curved presenter with red laser pointer, slide controls, and a USB receiver stored inside the battery compartment.

30 m control · 1 AAA



04 · RF039 — Dual USB

RF presenter with a red laser pointer, dual USB-A / USB-C receiver, and a storage case — for laptops with either port.

30 m control · USB-A + USB-C

In a classroom or training room, the presenter has to work from the back row. Compare the control sets first, then confirm the exact receiver and power configuration with our team — the full side-by-side and per-model specifications follow on the next page.

TECHNICAL OVERVIEW

Remote specifications in detail

Specifications as listed on each model's product page. Batteries are required and not included; confirm the final bundle, compatibility and range for your setup before ordering.

Compare the four, side by side

Control	K400	K500	K801	RF039
Slide forward / back	Yes	Yes	Yes	Yes
Laser pointer	Red	Red	Red	Red
Full / black screen	Yes	Yes	Yes	Yes
Hyperlink / window control	—	Yes	—	—
Volume control	—	Yes	—	—
Wireless control distance	Up to 12 m	Up to 100 m	Up to 30 m	Up to 30 m
Laser pointer range	Up to 100 m	Up to 100 m	Up to 100 m	Up to 100 m

Specification	K400	K500
Connection	Radio frequency via USB receiver	2.4 GHz RF via USB receiver
Control range	Up to 39 ft (12 m)	Up to 328 ft (100 m)
Laser	Red laser, up to 328 ft (100 m)	Red laser, up to 328 ft (100 m)
Controls	Slide forward/back, red laser, full-screen and black-screen	Page up/down, hyperlink navigation, volume control, full / black screen, power on/off
Receiver	Stores inside the presenter body	USB receiver included
Power	2 AAA batteries (not included); battery life described as lasting months under typical use	1 AAA battery (not included)
Systems	Windows 2000, XP, Vista, 7, 8, 10; macOS; Linux	Windows and macOS
Software	PowerPoint, Word, Excel, ACDSee, Keynote, Numbers, Pages, Google Slides, Prezi, websites, PDF	PowerPoint, Keynote, Google Slides, Excel, ACDSee, Prezi
Extras	Contoured non-slip grip with tactile guide points; cushioned carry case shown in product content	Five colors — Black, Blue, Pink, Purple, White; integrated pocket clip

TECHNICAL OVERVIEW

K801 & RF039 in detail

Specification	K801	RF039
Connection	Radio frequency via USB receiver	Radio frequency via USB receiver
Control range	Up to 98 ft (30 m)	Up to 98 ft (30 m)
Laser	Red laser, up to 328 ft (100 m)	Red laser, up to 328 ft (100 m)
Controls	Page up/down, red laser, full-screen, black-screen; 5 buttons	Page up/down, red laser, full-screen mode, black screen
Receiver	USB-A receiver stores in the slot inside the battery compartment	Dual USB-A / USB-C receiver; stores inside the remote
Power	1 AAA battery (not included); battery life about 2 months as listed	2 AAA batteries required
Systems	Windows 2003, XP, Vista, 7, 8, 10; macOS; Linux	Windows 2003, XP, Vista, 7, 8, 10; macOS; Linux
Software	PowerPoint, Keynote, Google Slides, Word, Excel, websites, PDF	PowerPoint, Google Slides, Word, Excel, and other listed software
Extras	Approx. 109 mm long, 38 g including battery; setup: plug in receiver and press the connect button once	Package: remote, dual USB receiver and storage pouch; item weight 2.08 oz

Good to know

Do these presenters need software or drivers? No. Plug in the USB receiver and start presenting. The K801 also asks you to press the connect button on the back of the remote once.

Where does the receiver go when not in use? K400 and RF039 store the receiver inside the presenter body (RF039 at the end of the remote). K801 stores its USB-A receiver in a slot inside the battery compartment.

What are they compatible with? Windows and macOS across the range (Linux also listed for K400, K801 and RF039), with PowerPoint, Keynote, Google Slides, Prezi, Word, Excel and PDF depending on model.

Which model fits?

K400 for simple, classic control. K500 if you need volume and hyperlink control, and color choice. K801 for the smallest ergonomic body. RF039 if your customers use both USB-A and USB-C laptops.

ALL-IN-ONE PCS

Fifteen models. One range.

Every series is an OEM/ODM all-in-one PC — same factory, same customization, same delivery promise. Eight series from 22″ to 30″, 1K to 4K, ready for your logo, your packaging and your boot logo. MOQ from 10 units.



Prime Slim — 24″ / 27″

The flagship slim all-in-one — 48.7 mm thin with a 10 mm bezel, up to 4K. The 27″ adds an optional AI camera (Windows Hello).



Prime Studio — 24″ / 27″

Textured back and pop-up camera for privacy-first meeting rooms — up to 4K.



Prime Pro — 24″ / 27″

The flagship pro all-in-one on a dual-pillar metal stand — three stands to choose from, up to 4K.



Core 24 / 27 — 24″ / 27″

The everyday business all-in-one for offices, schools and front desks, in Full HD.



Core 30 — 30″ · 2K

The only 30″ 2K model in the range, on a height-adjustable tripod stand.



Go — 22″ / 24″

The compact entry-level all-in-one — the lowest-cost way into the range, white on a V-shaped metal stand.



Core Home — 22″ / 24″

The home all-in-one with the diamond-shaped metal stand — pop-up camera and dual microphones.



Core Business — 22″ / 24″

The business all-in-one with the dual-tube stand on a round base — pop-up camera and dual microphones.

COMPARE THE RANGE

Compare all eight series

Series	Size	Resolution	Camera	Stand	Best for
Prime Slim	24″ / 27″	1K / 2K / 4K	2MP / 5MP / AI (Windows Hello)	Quick-release, height-adjustable	Flagship offices, design-led buyers
Prime Studio	24″ / 27″	1K / 2K / 4K	2MP / 5MP / AI, pop-up	Quick-release, height-adjustable	Meeting rooms, privacy-first buyers
Prime Pro	24″ / 27″	1K / 2K / 4K	2MP / 5MP	Dual-pillar metal stand, three stands to choose from	Pro desks, meeting rooms, flexible stand options
Core 24/27	24″ / 27″	1K	2MP / 5MP	Quick-release; height-adjustable or fixed base	Everyday business, schools, front desks
Core 30	30″	2K	2MP / 5MP	Tripod stand, height-adjustable	Large rooms, entertainment, gaming lounges
Core Home	22″ / 24″	To be confirmed	2MP / 3MP / 5MP + dual mics	Diamond-shaped metal base or lift stand	Home, living rooms, study desks
Core Business	22″ / 24″	To be confirmed	2MP / 3MP / 5MP + dual mics	Dual-tube stand or lift stand	Offices, meeting rooms, front desks
Go	22″ / 24″	1K	2MP / 5MP	Fixed V-shaped metal stand	Bulk entry orders, compact desks

Memory, storage and operating system are configurable per project — tell us your target configuration when you inquire.

Built for business

One screen replaces the tower, the cables and the clutter. A 24″ Full HD all-in-one fits a standard desk, deploys in minutes and looks the same on every desk in the office.

Ready for schools

The same range serves classrooms and computer labs. Prime Studio's pop-up camera stays hidden when class is not in session, and the 1-year warranty covers the school year.

The fifteen models

Prime Slim 24 · Prime Slim 27 · Prime Studio 24 · Prime Studio 27 · Prime Pro 24 · Prime Pro 27 · Core 24 · Core 27 · Core 30 · Core Home 22 · Core Home 24 · Core Business 22 · Core Business 24 · Go 22 · Go 24

From 10 units
Minimum order quantity

3–5 working days
Sampling

About 1 week
Production

1 year
Warranty

Sample fee charged and deductible against bulk orders. Certifications such as CE, FCC and RoHS can be arranged per customer requirement. We reply within 1 business day.

OEM / ODM

Your brand, on a proven product

Flexible support from sample to production. Discuss your product, branding, packaging, and order requirements with our team — final specifications and lead times are confirmed for each project.

Presentation remotes

- Silk-screen printing for product branding and marking
- Custom packaging, confirmed with your project
- Receiver configurations, including RF039 dual USB-A / USB-C
- Green laser versions for OEM orders (priced per project)
- Flexible minimum order quantity — share your target quantity

All-in-one PCs

- Logo on device, custom packaging, custom boot logo
- Custom color and custom configuration
- MOQ from 10 units
- 1-year warranty
- CE, FCC and RoHS can be arranged per customer requirement

How supply works

01 · Compare — see what each model is designed to do. **02 · Choose** — confirm color, receiver type and power, or your PC configuration. **03 · Inquire** — tell us your market and estimated quantity; we price that exact setup.

Samples typically take 3–5 business days after requirements are confirmed; production is approximately one week after specifications are confirmed (timing may vary by project). We reply within 1 business day.

Who we supply

Wholesale OEM / ODM supply for marketplace sellers, distributors and sourcing teams — including sellers on Amazon, Walmart Marketplace, eBay, AliExpress, Shopee, Lazada, Mercado Libre, TikTok Shop and Noon.

Marketplace names identify seller channels only. GNKER and RIELTECH are not affiliated with or endorsed by these platforms.

Discuss your project

Tell us the model, your branding and packaging requirements and your estimated quantity — we will quote that exact setup.

Email	sales@gnker.com
WhatsApp	+86 188 2376 3418
Website	www.gnker.com
Company	Riel Technology Co., Limited — registered in Hong Kong (2014), operated from Shenzhen, China

Confirm exact configuration and specifications before ordering; specifications, configurations and lead times are confirmed per project.